

October 22, 2018

Attn: Regulatory Manager PARAGON INDUSTRIES LP 2011 SOUTH TOWN EAST BLVD. MESQUITE, TX 75149-USA

Dear Regulatory Manager:

REF: SDS UPDATE - PRODUCTS LIST

Following is the List of Products - Safety Data Sheets which provide information on the products that you have recently purchased. These Safety Data Sheets represent a revision, new product, or a notification of the presence of a SARA 313 chemical. Our shipping information indicates that the following products have been shipped to your above stated location.

PRODUCT NAMES:

LUDOX HS-40%

These sheets are provided in compliance with OSHA Hazard Communication Standard 29 CFR 1910.1200 and SARA Section 313 (40 CFR 372.45). If you resell or distribute these products, you must furnish a copy of the SDS to your customers, advising them of their obligations to communicate the information provided. We appreciate your business and the confidence you place in us as your supplier. Our goal is to meet or exceed your expectations for quality and service.

Sincerely,

Interstate Chemical Company, Inc.

FRACE LUDOX regidizer




Member of the National Association of Chemical Distributors



· List of Dangerous Components None

Version: 6.3



(Contd. on page 2)

USA

(Contd. of page 1)

4 First-aid measures

• Description of first aid measures

- General Information: Immediately remove contaminated clothing if necessary to prevent direct skin contact.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately flush skin with water for at least 15 minutes.

- Remove contaminated clothing immediately.
- After eye contact:

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

- · After swallowing: Seek medical attention. Do not induce vomiting.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable. Use fire fighting measures that suit the environment.
- · Hazardous combustion products No further retevant information available.
- Advice for firefighters
- · Protective equipment: Wear personal protective equipment.
- Additional information
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections No dangerous substances are released.
- · Protective Action Criteria for Chemicals
- PAC-1:

 7631-86-9 | amorphous silicon dioxide, chemically prepared
 18 mg/m3

 PAC-2:

 7631-86-9 | amorphous silicon dioxide, chemically prepared
 [740 mg/m3]

 PAC-3:

 7631-86-9 | amorphous silicon dioxide, chemically prepared

 4,500 mg/m3

(Contd. on page 3)

(Contd. of page 2)

- USA

7 Handling and storage

· Handling:

- · Precautions for safe handling Avoid formation of respirable particles.
- Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Colloidal silica should be stored above 2 °C. Freezing temperatures can cause irreversible precipitation of the silica, therefore the product should be located in heated buildings. Avoid routine storage temperatures above 43 °C.

· Information about storage in one common storage facility: Store away from foodstuffs.

- Further Information about storage conditions: Protect from frost.
- Minimum storage temperature: > 2 °C

1.00		
8 Exp	osure controls/personal protection	100 AD
· Cont	ional Information about design of technical systems: No further data; see rol parameters	item 7.
	ponents with limit values that require monitoring at the workplace:	
	86-9 amorphous silicon dioxide, chemically prepared	1
IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health	· ·
PEL	Long-term value: 80/%SiO2 mg/m ³ OSHA TWA for amorphous silica	
	Long-term value: 6 mg/m ³ NIOSH TWA	
TLV	Long-term value: 10° 5° mg/m ³ ACGIH TWA *Total dust **Respirable fraction	
	18-5 water, distilled, or of similar purity	
PEL	Long-term value: - OSHA TWA: NONE ESTABLISHED	
TLV	Long-term value: - ACGIH TWA: NONE ESTABLISHED	
• Ехро	Ional information: Valid lists at time of creation were used as basis. sure controls onal protective equipment:	
The u Do no Imme Wast	ral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. of breathe dust or spray mist. Indiately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. of eat, drink, smoke or sniff while working.	
· Prote	ction of hands:	
	Protective gloves	
	k protective gloves prior to each use for their proper condition. k the permeability prior to each new use of the glove.	(Conid. on page 4)

•

Trade name: LUDOX® HS-40		
(Contd. of page 3) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Use gloves of stable material (e.g. Nitrile)		
- Material of gloves Butyl rubber, BR Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.35 mm		
 For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable: Butyl rubber, BR Nitrile rubber, NBR 		
 For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR 		
• Not suitable are gloves made of the following materials: Leather gloves Strong fabric gloves		
- Eye protection:		
Salety glasses		

· Body protection: Protective work clothing

Information on basic physical an General Information Appearance:	d chemical properties
Form:	Fluid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not available.
pH-value at 25 °C (77 °F):	9.5 - 10.3
Change In condition	
Melting point/Melting range:	0 °C (32 °F)
	(water)
Boiling point/Boiling range:	100 °C (212 °F)
	(water)
Conditions of flammability	
Flash point:	Not available.
Flammability (solid, gaseous):	Product is not flammable.
Ignition temperature:	Not available.
Decomposition temperature:	Not available.
Auto Igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.

(Co	ntd. of page 4)
Not determined. Not determined.	
23 hPa (17.3 mm Hg) (water)	
1.1-1.3 g/cm ³ (91.795-108.485 lbs/gal) Not available	
Not available	
Fully miscible. on: Not available.	
max. 45 mPas	
No further relevant information available.	
	Not determined. Not determined. 23 hPa (17.3 mm Hg) (water) 1.1-1.3 g/cm ³ (91.795-108.485 lbs/gal) Not available Not available Fully miscible. m: Not available. max. 45 mPas

10 Stability and reactivity

· Reactivity No lurther relevant information available.

- · Chemical stability No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on the likely routes of exposure

- · Delayed and Immediate effects and chronic effects from short or long term exposure
- Information on toxicological effects

· Acute toxicity:

- LD/LC50 values that are relevant for classification:

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral |LD50|>5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (rabbit)

Inhalative LC0 >140->2,000 mg/m³/4h (rat) (OCED 403)

Maximum attainable concentration, mortality does not appear.

.

· Primary Irritant effect:

· on the skin:

7631-86-9 amorphous silicon	dioxide, chemically prepared
	alexide, energiedally properted

Irritation of skin IS 0 (rabbit) (OECD 404) not irritating

· on the eye:

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of eyes IS 0 (rabbit) (OECD 405)

not irritating

• **Respiratory sensitization** No further relevant information available. • **Skin sensitization** No further relevant information available.

(Contd. on page 6)

Version: 6.3

Trade name: LUDOX® HS-40

(Contd. of page 5)

3

- · Additional toxicological Information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 amorphous silicon dioxide, chemically prepared

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated dose toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

- Oral NOAEL (90 d) 9,000 mg/kg bw/day (rat) (OECD 408)
- Inhalative NOAEC (90 d) 1 mg/m3 (rat) (OECD 413)

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) • Carcinogenicity No further relevant information available.

· Mutagenicity

7631-86-9 amorphous silicon dioxide, chemically prepared

AMES Test >5 mg/plate (in-vitro) (OECD 471)

with and without metabolic activation

· Reproductive toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral NOAEL (maternal toxicity) 1,350 mg/kg bw/day (rat) (OECD 414)

NOAEL (teratogenicity) 1,350 mg/kg bw/day (rat) (OECD 414)

Specific target organ toxicity (single exposure) No further relevant information available.

· Specific target organ toxicity (repeated exposure) No further relevant information available.

· Aspiration hazard No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

· Fish toxicity

7631-86-9 amorphous sllicon dioxide, chemically prepared

LC0 (96 h) (static) 10,000 mg/l (zebra fish) (OECD 203)

· Water flea toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared EC50 (24 h)}>1,000 mg/l (Daphnia magna) (OECD 202)

· Algae toxicity

7631-86-9 amorphous sillcon dioxide, chemically prepared

EC50 (72 h) >10,000 mg/l (Scenedesmus subspicatus) (OECD 201) comparable substance

• Persistence and degradability No further relevant information available.

· Other information: Amorphous silica dioxide is chemically and biologically inert.

· Behavior in environmental systems:

· Bloaccumulative potential No further relevant information available.

· Mobility in soll No further relevant information available.

(Contd. on page 7)

(Contd. of page 6)

· Results of PBT and vPvB assessment

- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation:

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use **or** contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/ provincial and local requirements.

Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	None
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	None
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	None
• Packing group • DOT, ADR, IMDG, IATA	None
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 	i of Not applicable.
· Transport/Additional Information:	Not dangerous according to the above specification GRACE recommendation lor air transport: Cargo aircraft only.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA 302/304

None of the ingredients is listed.

· SARA 313

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

7631-86-9 amorphous silicon dioxide, chemically prepared

7732-18-5 | water, distilled, or of similar purity

(Contd. on page 8)

ESA.

[·] SARA

Trade name: LUDOX® HS-40 (Contd. of page 7) · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Canadian DSL 7631-86-9 | amorphous silicon dioxide, chemically prepared 7732-18-5 | water, distilled, or of similar purity · Canadian NDSL Not available. · European EINECS All ingredients are listed or exempted from listing. Philippines Inventory of Chemicals and Chemical Substances PICCS All ingredients are listed or exempted from listing. • Inventory of the Existing Chemical Substances manufactured or Imported In China IECSC All ingredients are listed. Australian Inventory of Chemical Substances AICS All ingredients are listed or exempted from listing. · Existing and New Chemical Substance List ENCS 7631-86-9 amorphous silicon dioxide, chemically prepared 1-548 7732-18-5 water, distilled, or of similar purity · Korean Existing Chemical Inventory KECI 7631-86-9 amorphous silicon dioxide, chemically prepared KE-31032 KE-35400 7732-18-5 water, distilled, or of similar purity · TCSCA (Talwan) 7631-86-9 amorphous silicon dioxide, chemically prepared EPEP4A01648271 · GHS label elements None · Hazard pictograms None · Signal word None

· Hazard statements None

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guaranlee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: GRACE Salety & Health Department
- Tarif number 3824 9996

LISA

• Contact: SALES OFFICES

USA: GRACE W. R. Grace & Co.-Conn 7500 Grace DR Columbia, MD 21044

Tel: +1 410-531 4000

Europe: Grace GmbH In der Hollerhecke 1 D-67545 Worms, Germany Tel: +49 6241 4030

Asia Pacific: Grace Products (Singapore) Pte Ltd 230 Orchard Road 09-232, Faber House Singapore 238854 Tel: +65 6737 3033 Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd 19th Floor K.Wah Center 1010 Huai Hai Zhong Road Shanghai, 200031 China T (电话): +86 21 3325 8288 F (传真): +86 21 5405 1500

W. R. Grace Japan K.K Kohken New River Bldg 3F 2-21-18, Shinkawa Chuo-ku, Tokyo 104-0033 JAPAN Tel: +81 3.3537.6006 Fax: +81 3.3537.6007

· Date of preparation / last revision 01/30/2018 / 6.2

The first date of preparation 01/17/2018

Number of revision times and the latest revision date 6.3 / 01/30/2018
 Abbreviations and economics

 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Inslitute for Occupational Safety

OSHA: Occupational Salety & Health

(Contd. on page 10)

USA -

(Contd. of page 8)

L

1. . .

÷.

Trade name: LUDOX® HS-40	
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • Others No further relevant information available. • • Data compared to the previous version altered.	(Conid. of page 9)
	US/